EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	JP-10139327-A.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 20:08
L2	222	187/249.ccls. and @pd<"20040429"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 20:37
L3	840	187/406,251.ccls. and @pd<"20040429"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 20:54
L4	198	3 and (rail guid$3 shoe roller wheel rop$3 cable tens$6 support$3 hoist$3 load$1bearing suspen$4 load$1carrying) near10 ((dispos$2 position$3 locat$3 mount$3 plac$3) and (corner side groove edge oppos$3 cham$1fer$2 recess$2) and (cab carriage car platform basket cage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 20:56
L5	712	187/401.ccls. and @pd<"20040429"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 21:06
L6	123	5 and (rail guid$3 shoe roller wheel rop$3 cable tens$6 support$3 hoist$3 load$1bearing suspen$4 load$1carrying) near10 ((dispos$2 position$3 locat$3 mount$3 plac$3) and (corner side groove edge oppos$3 cham$1fer$2 recess$2) and (cab carriage car platform basket cage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 21:06
L7	115	6 not 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 21:07
L10	165	3 and (guid$3 shoe roller wheel) near10 ((dispos$2 position$3 locat$3 mount$3 plac$3 affix$3 fasten$3 secur$3) and (corner side groove edge oppos$3 cham$1fer$2 channel fram$3 recess$2) and (rop$3 cable tens$6 support$3 hoist$3 load$1bearing suspen$4 load$1carrying))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 21:33
L11	35	10 not (1 2 4 6 7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 21:35
S1	1664	187/401,406,408,409.ccls. and @pd<"20040429"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:39

S2	345	S1 and (rail guid$3 elongat$3 column shoe roller wheel vertical$2 rop$3 cable tens$6 support$3 hoist$3 load$1bearing load$1carrying) near8 ((corner distal diagonal$2 edge oppos$3 cham$1fer$2 recess$2) and (cab carriage car platform basket cage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:43
S3	8	("1907967" | "2246732" | "3342288").PN. OR ("4249640").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 16:46
S4	50	US-5547059-$.DID. OR US-5439075-$.DID. OR US-5234079-$.DID. OR US-5944144-$.DID. OR US-4529062-$.DID. OR US-20070045053-$.DID. OR US-5230406-$.DID. OR US-6085874-$.DID. OR US-5052523-$.DID. OR US-5301773-$.DID. OR US-5310022-$.DID. OR US-5366044-$.DID. OR US-5370207-$.DID. OR US-5503257-$.DID. OR US-5566784-$.DID. OR US-5828014-$.DID. OR US-6012554-$.DID. OR US-6142260-$.DID. OR US-6173813-$.DID. OR US-6247557-$.DID. OR US-6296080-$.DID. OR US-6659231-$.DID. OR US-7014013-$.DID. OR US-7025177-$.DID. OR US-20030183459-$.DID. OR US-20040154870-$.DID. OR US-20040154875-$.DID. OR US-20050279588-$.DID. OR US-20060243538-$.DID. OR US-20070007083-$.DID. OR US-20070051563-$.DID. OR US-4345671-$.DID. OR US-4600086-$.DID. OR US-5553686-$.DID. OR US-5673771-$.DID. OR US-5690190-$.DID. OR US-20060231350-$.DID. OR US-20060260878-$.DID. OR US-5402861-$.DID. OR US-6290026-$.DID. OR US-5524730-$.DID. OR US-5544721-$.DID. OR US-5816369-$.DID. OR US-4431087-$.DID. OR US-5018602-$.DID. OR US-5294757-$.DID. OR US-5304751-$.DID. OR US-5308938-$.DID. OR US-5321217-$.DID. OR US-5322144-$.DID.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 16:48
S5	1657	B66B007/02.ipc. and @pd<"20040429"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:49
S6	146	S5 and (rail guid$3 elongat$3 column shoe roller wheel vertical$2 rop$3 cable tens$6 support$3 hoist$3 load$1bearing load$1carrying) near8 ((corner distal diagonal$2 edge oppos$3 cham$1fer$2 recess$2) and (cab carriage car platform basket cage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:50
S7	365	S1 and (rail guid$3 elongat$3 column shoe roller wheel vertical$2 rop$3 cable tens$6 support$3 hoist$3 load$1bearing load$1carrying) with ((corner distal diagonal$2 edge oppos$3 cham$1fer$2 recess$2) and (cab carriage car platform basket cage) and (wall side panel surface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:51
S8	92	S6 not (S2 S3 S4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:52

S9	33	S7 not (S2 S3 S4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:53
S10	125	S8 S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:53
S11	132	S5 and (rail guid$3 elongat$3 column shoe roller wheel vertical$2 rop$3 cable tens$6 support$3 hoist$3 load$1bearing load$1carrying) with ((corner distal diagonal$2 edge oppos$3 cham$1fer$2 recess$2) and (cab carriage car platform basket cage) and (wall side panel surface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:55
S12	10	S11 not (S2 S3 S4 S8 S9)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:57
S13	4084	(B66B011/02.ipc. B66B07/04.ipc.) and @pd<"20040429"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:58
S14	163	S13 and (rail guid$3 elongat$3 column shoe roller wheel vertical$2 rop$3 cable tens$6 support$3 hoist$3 load$1bearing load$1carrying) with ((corner distal diagonal$2 edge oppos$3 cham$1fer$2 recess$2) and (cab carriage car platform basket cage) and (wall side panel surface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:58
S15	121	S14 not (S2 S3 S4 S8 S9 S12)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 17:03
S16	44	(S1 S5 S13) and (suspen$4) near8 ((corner distal diagonal$2 edge oppos$3 cham$1fer$2 recess$2) and (cab carriage car platform basket cage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 17:07
S17	4	S16 not (S2 S3 S4 S8 S9 S12 S15)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 17:08
S18	13	((car cab carriage basket cage) and ((wall side face surface) and (guide shoe)) near8 (recess$2 cham$1fer$2 diagonal$2 reduc$4 corner) and (elevat$3 lift$3 hoist$3)).clm.	US-PGPUB	OR	ON	2008/01/17 17:11